



# Hydroxinator™ iQ



*“Smart design with  
a healthy mind”*

MagnaPool has evolved with the next generation of Hydroxinators. Beautifully designed with smart tech built in to take the guesswork out of maintaining a healthy MagnaPool.



**ZODIAC®**



***“MagnaPool is the authentic and original mineral pool. Setting a standard that many try to copy but none can duplicate”***

MagnaPool owners desire only the best, not just from their equipment but also to ensure their swimming experience is the most enjoyable. The advancement of technology combined with years of tried and tested research into the MagnaPool system means this next generation of Hydroxinators will provide the very best management of mineral water pools.

## The thinking behind a healthy MagnaPool®



### HEALTH & WELLBEING

MagnaPool® minerals soften and produce silky sparkling clear pool water that is gentle on skin, eyes and hair



### SCIENCE

The patented blend of magnesium and potassium minerals provides highly effective sanitizing properties when used as part of a MagnaPool® system



### ENVIRONMENT

Reduces the need for many additional chemicals plus when diluted\* MagnaPool® backwash can be used to water your garden

\*we recommend a dilution of 5 water - 1 backwash water. Please note you must abide by the local environmental laws regarding backwash water in your area



## DOWNLOAD OR UPDATE

the iAqualink app from



### IAQUALINK ENABLED

A standard feature with all MagnaPool Hydroxinators is a built-in WiFi chip that allows you to monitor, control and change all your schedules and outputs directly from your smart phone. iAquaLink is the worlds premier pool equipment device control platform. It also allows for constant updates and improvements to be delivered directly into your hydroxinator, no call out fee, no hassles

iAquaLink puts full control at your fingertips anytime, anywhere



### AUTOMATED WATER CHEMISTRY

If you are looking for the absolute pinnacle in automated water management of your pH and chlorine levels via ORP, these features come standard on the pH or PRO models, but they are also available as upgrades if you want to add them down the track. The premium grade sensors will monitor and keep pH levels in balance and perfectly regulated. Whilst on the PRO version your chlorine levels are continuously monitored and adjusted to ensure safe healthy water every time you go for a swim.



### ULTRA LONG LIFE RP CELL

These upgraded automatic cleaning cell plates have an ultra long life, combined with smart tech in the chlorine production that will provide years of performance.



### VARIABLE SPEED PUMP CONTROL

Directly connect to your Zodiac VS pump and set schedules and speeds to suit the needs of your pool, and reduce energy consumption.

Packed with additional features such as



**SMART TEMP  
SENSOR**



**POOL COVER  
MODE**



**MULTI-COLOUR  
LIGHT CONTROL**

**AND MANY  
MORE**



**ZODIAC®**



| MODELS                                                | Hydroxinator® iQ Mid                                                                                                                                                                                                  | Hydroxinator® iQ Large |
|-------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| Recommended pool size '000L<br>See graph for guidance | 75                                                                                                                                                                                                                    | 100                    |
| Nominal chlorine production                           | 25 g/h                                                                                                                                                                                                                | 35 g/h                 |
| Operating mode(s)                                     | Normal = adjustable by 10% increments from 0% - 100%<br>Low Mode = adjustable range 0 to 30%<br>Boost Mode = continuous 100% for 24hrs                                                                                |                        |
| Equipment control                                     | Filter pump: Any single speed pump or Zodiac® variable speed pump.<br>Lights: Any single colour light or any Zodiac/Jandy sequence Multicolour light<br>(note will require additional relay box part number WW000222) |                        |
| Salt level<br>(recommended at 25°C)                   | 4000ppm                                                                                                                                                                                                               |                        |
| Cell protection                                       | Temperature sensor controls chlorine output in cold water conditions assisting to protect cell against excessive wear and tear                                                                                        |                        |
| Power supply                                          | 197 W / 110-240 VAC / 50-60 Hz                                                                                                                                                                                        |                        |
| Dimensions                                            | Power pack: H-370mm x W-320mm x D-100mm<br>Cell: H-160mm x W-320mm x D-110mm                                                                                                                                          |                        |
| Warranty                                              | Refer to <a href="http://zodiac.com.au/warranty-information">zodiac.com.au/warranty-information</a>                                                                                                                   |                        |

## Select the right size Hydroxinator for your pool

